



ASIMO LIGHTING CO.,LTD

LED Solar Lights



ASIMO LIGHTING CO.,LTD

📍 Add: No.156 Chang'an Road, Zhongshan, China

✉ Jack@asolite.com

🌐 www.asolite.com

2026 Product Brochure - New

A Smart More Lightinig Solution



ASIMO Lighting, established in 2012 in Zhongshan, China, is a professional manufacturer of lighting fixtures. The company operates two production bases—the Guzhen factory and the Xiaolan factory—spanning a total of approximately 7,000 square meters.

Equipped with more than 10 production lines and a workforce of over 100 employees, ASIMO Lighting specializes in producing a wide range of high-quality lighting products at low costs with reasonable pricing.

With a commitment to innovation in LED technology, ASIMO Lighting serves over 200 customers across 80 countries. The company prides itself on delivering exceptional product quality and excellent service to its customers.



ASIMO LIGHTING CO.,LTD

## ENTERPRISE QUALIFICATION CERTIFICATE



PRODUCT INDEX BY CATEGORY

SOLAR WALL LIGHTS

P01-32



N in 1 LED SOLAR LIGHTS

P33-44



LED SOLAR PILLAR LIGHTS

P45-46



LED SOLAR SPIKE LIGHTS

P47-54



PRODUCT INDEX BY CATEGORY

LED SOLAR POST TOP LIGHTS

P55-68



LED SOLAR POOL LIGHT

P69




LED SOLAR TABLE LIGHT

P70




# Solar Wall Light with Motion Sensor



## BD-0632-PIR

|                    |                        |
|--------------------|------------------------|
| Solar Panel        | Mono Crystal 5V 2.2W   |
| Light Source       | 72x0.2W LED            |
| Battery            | 2 x 3.7V 1800mAh       |
| Colour Temperature | 3000± 200K/6250 ± 250K |
| Charge Time        | 5-6 hours              |
| Illumination Time  | 6-8 hours              |
| Product Dimensione | 22.3x14.8x9.1 cm       |



## BD-0631-PIR

|                    |                        |
|--------------------|------------------------|
| Solar Panel        | Mono Crystal 5V 2.5W   |
| Light Source       | 73x0.2W LED            |
| Battery            | 2 x 3.7V 1800mAh       |
| Colour Temperature | 3000± 200K/6250 ± 250K |
| Charge Time        | 5-6 hours              |
| Illumination Time  | 6-8 hours              |
| Product Dimensione | 25.5x9.7x11.8 cm       |



# Solar Wall Light



## BD-0616 / WRGB

|                    |                      |
|--------------------|----------------------|
| Solar Panel        | Mono Crystal 5V 1.5W |
| Light Source       | 4x0.5W LED           |
| Battery            | 3.7V 1500mAh         |
| Colour Temperature | 3000± 200K           |
| Charge Time        | 5-6 hours            |
| Illumination Time  | 6-10 hours           |
| Product Dimensione | 14.2x7.3x8 cm        |



## BD-0614

|                    |                       |
|--------------------|-----------------------|
| Solar Panel        | Mono Crystal 4V 0.25W |
| Light Source       | 4x0.2W LED            |
| Battery            | 3.2V 500mAh           |
| Colour Temperature | 3000± 200K            |
| Charge Time        | 4-6 hours             |
| Illumination Time  | 8-10 hours            |
| Product Dimensione | 9x5.3x12 cm           |





# Solar Wall Down Light

## BD-0615A / WRGB



|                    |                      |
|--------------------|----------------------|
| Solar Panel        | Mono Crystal 5V 0.7W |
| Light Source       | 2x0.5W LED           |
| Battery            | 3.7V 1800mAh         |
| Colour Temperature | 3000± 200K           |
| Charge Time        | 4-6 hours            |
| Illumination Time  | 8-10 hours           |
| Product Dimensione | 11.4x5.4x6 cm        |

## BD-0622

|                    |                      |
|--------------------|----------------------|
| Solar Panel        | Mono Crystal 2V 0.4W |
| Light Source       | 0.5W LED             |
| Battery            | 1.2V 800mAh          |
| Colour Temperature | 3000± 200K           |
| Charge Time        | 4-6 hours            |
| Illumination Time  | 6-8 hours            |
| Product Dimension  | 6.6x5.1x5.8 cm       |



## BD-0623

|                    |                      |
|--------------------|----------------------|
| Solar Panel        | Mono Crystal 5V 0.7W |
| Light Source       | 2x0.5W LED           |
| Battery            | 3.7V 1800mAh         |
| Colour Temperature | 3000± 200K           |
| Charge Time        | 4-6 hours            |
| Illumination Time  | 6-8 hours            |
| Product Dimension  | 11.3x5.1x5.8 cm      |



## BD-0624

|                    |                    |
|--------------------|--------------------|
| Solar Panel        | Mono Crystal 5V 1W |
| Light Source       | 3x0.5W LED         |
| Battery            | 3.7V 1800mAh       |
| Colour Temperature | 3000± 200K         |
| Charge Time        | 5-6 hours          |
| Illumination Time  | 8-10 hours         |
| Product Dimension  | 14x5.1x5.8 cm      |





# Solar Wall Down Light



## BD-0630

|                    |                       |
|--------------------|-----------------------|
| Solar Panel        | Mono Crystal 5V 1.5W  |
| Light Source       | 2x0.5W LED            |
| Battery            | 3.7V/1800mAh          |
| Colour Temperature | 3000± 200K/6250± 250K |
| Charge Time        | 5-6 hours             |
| Illumination Time  | 8-10 hours            |
| Product Dimensione | 10x4.4x16.2 cm        |

## TJ-0409



|                    |                       |
|--------------------|-----------------------|
| Solar Panel        | Mono Crystal 2V 0.4W  |
| Light Source       | 2x0.5W LED            |
| Battery            | 1.2V 800mAh           |
| Colour Temperature | 3000± 200K/6250± 250K |
| Charge Time        | 4-6 hours             |
| Illumination Time  | 8-10 hours            |
| Product Dimensione | 10.8x2.9x6.2 cm       |



# Circular Rotating Up and Down Solar Wall Light




Monocrystalline silicon solar panel



Up And Down Luminescence



Unique Light Effect



6.1cm


15.8cm

BD-281

Two lighting effects



|                 |                                                |                  |                             |
|-----------------|------------------------------------------------|------------------|-----------------------------|
| Product name    | Circular Rotating Up and Down Solar Wall Light | Product material | ABS + Glass                 |
| Solar panel     | 5V / 2W                                        | Product lumen    | 11LM                        |
| Product battery | 3.7V/1200mAh                                   | Waterproof grade | Ip54                        |
| Charging time   | Standard sunshine for 6-8 hours                | Usage scenario   | A wall/post/doorway/balcony |



Monocrystalline silicon solar panel



Light effect outlet



switching push-button

# Square Rotating Up and Down Solar Wall Light




Monocrystalline silicon solar panel




Up And Down Luminescence




Unique Light Effect



BD-282



|                 |                                              |                  |                             |
|-----------------|----------------------------------------------|------------------|-----------------------------|
| Product name    | Square Rotating Up and Down Solar Wall Light | Product material | ABS + Glass                 |
| Solar panel     | 5V / 2W                                      | Product lumen    | 11LM                        |
| Product battery | 3.7V/1200mAh                                 | Waterproof grade | Ip54                        |
| Charging time   | Standard sunshine for 6-8 hours              | Usage scenario   | A wall/post/doorway/balcony |



Monocrystalline silicon solar panel



Light effect outlet



switching push-button

# Six-Beam Solar Wall Light





Monocrystalline silicon solar panel




Up And Down Luminescence



Optical condenser lens

1  
BD-255



- 1 Side surface of solar six-beam light wall lamp
- 2 Side surface of solar six-beam light wall lamp
- 3 Back of solar six-beam light wall lamp

2




3



| Product name    | Six-Beam Solar Wall Light       |
|-----------------|---------------------------------|
| Solar panel     | 5V / 2W                         |
| Product battery | 3.7V/1300mAh                    |
| Charging time   | Standard sunshine for 6-8 hours |

|                  |                             |
|------------------|-----------------------------|
| Product material | ABS + Anti UV PC            |
| Product lumen    | 30LM                        |
| Waterproof grade | Ip65                        |
| Usage scenario   | A wall/post/doorway/balcony |



Monocrystalline silicon solar panel



Optical condenser lens



switching push-button

# Trapezoid Up & Down Solar Wall Light






Monocrystalline silicon solar panel




Up And Down Luminescence




Optical condenser lens



- 1 Solar energy three-sided armor wall lamp side
- 2 Solar energy three-sided armor wall lamp front
- 3 Solar energy three-sided armor wall lamp top surface



|                 |                                      |                  |                             |
|-----------------|--------------------------------------|------------------|-----------------------------|
| Product name    | Trapezoid Up & Down Solar Wall Light | Product material | ABS + Anti UV PC            |
| Solar panel     | 5V / 1.1W*3                          | Product lumen    | 36LM                        |
| Product battery | 3.7V/1300mAh                         | Waterproof grade | Ip65                        |
| Charging time   | Standard sunshine for 6-8 hours      | Usage scenario   | A wall/post/doorway/balcony |



Monocrystalline silicon solar panel




LED patch light source



switching push-button

# Up & Down Solar Wall Light



-   
Monocrystalline silicon solar panel
-   
Up And Down Luminescence
-   
Optical condenser lens



1

BD-259

- 1 Solar tank wall lamp front
- 2 Side of solar tank wall lamp
- 3 Back of solar tank wall lamp



2



3

|                 |                                 |                  |                             |
|-----------------|---------------------------------|------------------|-----------------------------|
| Product name    | Up & Down Solar Wall Light      | Product material | ABS+Anti UV PC              |
| Solar panel     | 5V / 2W                         | Product lumen    | 49LM                        |
| Product battery | 3.7V/1300mAh                    | Waterproof grade | Ip65                        |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | A wall/post/doorway/balcony |



Monocrystalline silicon solar panel



Optical condenser lens



switching push-button

# Ball Solar Wall Light



Monocrystalline silicon solar panel



Lithium iron phosphate battery



Waterproof Grade



BD-3010

1 Ball Solar Wall Light - Milky




BD-3016

2 Ball Solar Wall Light - Clear

|                 |                                 |
|-----------------|---------------------------------|
| Product name    | Ball Solar Wall Light           |
| Solar panel     | 6V/2.5W                         |
| Product battery | 3.7V/2400mAh                    |
| Charging time   | Standard sunshine for 6-8 hours |

|                  |                             |
|------------------|-----------------------------|
| Product material | ABS+PMMA cover              |
| Product Color    | White / Warm White          |
| Waterproof grade | Ip54                        |
| Usage scenario   | A wall/post/doorway/balcony |



Monocrystalline silicon solar panel



PMMA lampshade



ABS lamp body

# Carved Window Solar Wall Light



Monocrystalline silicon solar panel



Lithium iron phosphate battery



Waterproof Grade



BD-3011A


1 Carved window wall lamp A



BD-3011B

2 Carved window wall lamp B

|                 |                                 |                  |                             |
|-----------------|---------------------------------|------------------|-----------------------------|
| Product name    | Carved Window Solar Wall Light  | Product material | ABS+PMMA cover              |
| Solar panel     | 5V/2.5W                         | Product Color    | White / Warm White          |
| Product battery | 3.7V/2400mAh                    | Waterproof grade | Ip54                        |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | A wall/post/doorway/balcony |



Monocrystalline silicon solar panel



PMMA lampshade



ABS lamp body

# Moon Window Solar Wall Light





Monocrystalline silicon solar panel



Lithium iron phosphate battery



Waterproof Grade



1  
BD-3012A  
Moon Window Wall Lamp A




2  
BD-3012B  
Moon Window Wall Lamp B



3  
BD-3012C  
Moon Window Wall Lamp C

|                 |                                 |                  |                             |
|-----------------|---------------------------------|------------------|-----------------------------|
| Product name    | moon window wall lamp           | Product material | ABS+PMMA cover              |
| Solar panel     | 5V/2.5W                         | Product Color    | White / Warm White          |
| Product battery | 3.7V/2400mAh                    | Waterproof grade | Ip54                        |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | A wall/post/doorway/balcony |



Monocrystalline silicon solar panel



PMMA lampshade



ABS lamp body

# Moon Cup Solar Wall Light



Monocrystalline silicon solar panel



Lithium iron phosphate battery



Waterproof Grade



1

BD-3013  
Moon cup wall lamp


2

BD-3015  
Glass cup wall lamp

3

BD-3014  
Luminous cup wall lamp

|                 |                                 |                  |                             |
|-----------------|---------------------------------|------------------|-----------------------------|
| Product name    | Moon cup wall lamp              | Product material | ABS+PMMA cover              |
| Solar panel     | 5V/2.5W                         | Product Color    | White / Warm White          |
| Product battery | 3.7V/2400mAh                    | Waterproof grade | Ip54                        |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | A wall/post/doorway/balcony |



Monocrystalline silicon solar panel



PMMA lampshade



ABS lamp body

# Observation Pavilion Induction Bulb Style Solar Wall Light



Human body induction



Monocrystalline silicon solar panel



Die Casting Aluminum



1  
BD-283



2  
DPC-283




3  
DPX-283



4  
BD-283

- 1 Solar powered observation pavilion lawn light (ground mounted)
- 2 Solar powered observation pavilion lawn light (fixed pole)
- 3 Solar powered observation pavilion lawn light (fixed thin pole)
- 4 Solar powered observation pavilion wall lamp

|                 |                                 |                  |                               |
|-----------------|---------------------------------|------------------|-------------------------------|
| Product name    | Observation Pavilion Series     | Product material | ABS                           |
| solar panel     | 5V/2.5W                         | Product lumen    | 231LM                         |
| Product battery | 3.7V/2000mAh                    | Waterproof grade | Ip54                          |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Courtyard/community/park/lawn |



monocrystalline silicon solar panel



Human body sensors



Edison light bulb

# Observation Pavilion Induction Bulb Style Solar Wall Light




Human body induction



Monocrystalline silicon solar panel



Die Casting Aluminum



1  
BD-284DC

- 1 Solar powered observation pavilion lawn light (ground mounted)
- 2 Solar powered observation pavilion lawn light (fixed pole)
- 3 Solar powered observation pavilion lawn light (fixed thin pole)
- 4 Solar powered observation pavilion wall lamp



2  
DPC-284




3  
DPX-284



4  
BD-284

|                 |                                 |                  |                               |
|-----------------|---------------------------------|------------------|-------------------------------|
| Product name    | Observation Pavilion Series     | Product material | ABS+PC                        |
| solar panel     | 5V/2.5W                         | Product lumen    | 100LM                         |
| Product battery | 3.7V/2000mAh                    | Waterproof grade | Ip54                          |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Courtyard/community/park/lawn |



monocrystalline silicon solar panel




Human body sensors



UV resistant PC lampshade

# Bar Induction Solar Wall Light



1 small sized

Solar Panel: 6V/8W  
Battery: 3.7V/4000mAh



2 large size

Solar Panel: 6V/14W  
Battery: 3.7V/4000mAh



|                  |                                |                  |                                 |
|------------------|--------------------------------|------------------|---------------------------------|
| Product name     | Bar Induction Solar Wall Light | Product material | Aluminum+PMMA lampshade         |
| Product lumen    | 340LM                          | Charging time    | Standard sunshine for 6-8 hours |
| Waterproof grade | Ip65                           | Usage scenario   | Courtyard/Community/Villa       |



Monocrystalline silicon solar panel



PMMA lampshade



Human body sensor

# Small UFO Solar Light




|                 |                                 |                  |                               |
|-----------------|---------------------------------|------------------|-------------------------------|
| Product name    | Small UFO Solar Wall Light      | Product material | Aluminum material+anti-UV PC  |
| solar panel     | 5V/4W                           | Product lumen    | 360LM                         |
| Product battery | 3.7V/4000mAh                    | Waterproof grade | Ip65                          |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Courtyard/community/park/lawn |



PMMA lampshade



Aluminum lamp pole



Waterproof switch

# Bubble UFO Solar Light

-  Monocrystalline silicon solar panel
-  Anti-UV PC lampshade
-  Surrounding Luminescence



1  
231-3

1 Solar bubble column lawn lamp

2 Solar bubble column lamp

3 Solar bubble column wall lamp




2  
231-2



3  
231-1

|                 |                                 |                  |                               |
|-----------------|---------------------------------|------------------|-------------------------------|
| Product name    | Bubble UFO Solar Light          | Product material | Aluminum material+anti-UV PC  |
| Solar panel     | 5V/ 3.7W                        | Product lumen    | 360LM                         |
| Product battery | 3.7V/4000mAh                    | Waterproof grade | Ip65                          |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Courtyard/community/park/lawn |



Monocrystalline silicon solar panel



PMMA lampshade



Bubble column

# Striped UFO Solar Light





Monocrystalline silicon solar panel



Anti-UV PC lampshade



White / Warm White



- 1 Solar striped flying saucer column headlamp
- 2 Solar striped flying saucer column lamp
- 3 Solar striped UFO wall lamp
- Customizable human body induction



|                 |                                 |                  |                              |
|-----------------|---------------------------------|------------------|------------------------------|
| Product name    | Striped UFO Solar Light         | Product material | Aluminum+ PC cover           |
| Solar panel     | 5V / 3.7W                       | Product lumen    | 360LM                        |
| Product battery | 3.7V/4000mAh                    | Waterproof grade | Ip65                         |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Parks/courtyards/communities |



Monocrystalline silicon solar panel



Anti-UV PC lampshade



Aluminium lamp post

# Flat Head Solar Light




Monocrystalline silicon solar panel



Mobile APP control



Colorful gradient



1 Solar flat-headed lawn lamp

2 Solar flat-headed column lamp

3 Solar flat-headed wall lamp



2  
3628-2



3  
3628-1

|                 |                                 |                  |                              |
|-----------------|---------------------------------|------------------|------------------------------|
| Product name    | Flat Head Solar Light           | Product material | Aluminum+ PC cover           |
| Solar panel     | 5V / 2W                         | Product lumen    | 180LM                        |
| Product battery | 3.7V/2000mAh                    | Waterproof grade | Ip65                         |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Parks/courtyards/communities |



Monocrystalline silicon solar panel



Anti-UV PC lampshade



Led patch light source

# Sunshine Solar Light



Monocrystalline silicon solar panel



Mobile APP control



Colorful gradient



1  
3661-3

1 Solar flow lawn lamp

2 Solar flow wall lamp

3 Solar flow square column lamp




2  
3661-1



3  
3661-2

|                 |                                 |                  |                               |
|-----------------|---------------------------------|------------------|-------------------------------|
| Product name    | Sunshine Solar Light            | Product material | ABS+anti-UV PC                |
| Solar panel     | 5V / 2W                         | Product lumen    | 200LM                         |
| Product battery | 3.7V/2000mAh                    | Waterproof grade | Ip65                          |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Courtyard/community/park/lawn |



Monocrystalline silicon solar panel



Anti-UV PS lampshade



switching push-button

# 7 Shaped Solar Light




Anti-UV PC lampshade



LED patch light source




Die Casting Aluminum




- 1 Solar lawn lamp with seven characters
- 2 Solar seven-character wall lamp
- Customizable human body induction



|                 |                                 |                  |                               |
|-----------------|---------------------------------|------------------|-------------------------------|
| Product name    | 7 Shaped Solar Light            | Product material | Aluminum material+anti-UV PC  |
| Solar panel     | 5V/4W                           | Product lumen    | 360LM                         |
| Product battery | 3.7V/4000mAh                    | Waterproof grade | Ip65                          |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Courtyard/community/park/lawn |



monocrystalline silicon solar panel



Highlight LED light source



Die casting aluminum

# Treasure Bowl Pillar Lamp



Monocrystalline silicon solar panel



Lithium iron phosphate battery



LED patch light source

1  
ZT-3729S



1 Small size  
Solar Panel: 5V/1W  
Battery: 3.7V/1200mAh

2  
ZT-3729M



2 Medium size  
Solar Panel: 5V/1.7W  
Battery: 3.7V/2400mAh

3  
ZT-3729L



3 Large size  
Solar Panel: 5V/3.7W  
Battery: 3.7V/4000mAh

|               |                                 |                  |                             |
|---------------|---------------------------------|------------------|-----------------------------|
| Product name  | Treasure Bowl Pillar Lamp       | Product material | PC cover+ABS                |
| Product color | Tri colored light               | Waterproof grade | Ip65                        |
| Charging time | Standard sunshine for 6-8 hours | Usage scenario   | A fence/column head/terrace |



Monocrystalline silicon solar panel



Anti-UV PC lampshade



ABS lamp body



Solar Lawn Light



### DC-0818-3CCT

|                    |                       |
|--------------------|-----------------------|
| Solar Panel        | Mono Crystal 5V 0.65W |
| Light Source       | 20x0.2W LED           |
| Battery            | 3.7V 500mAh           |
| Colour Temperature | 3000± 200K/6250± 250K |
| Charge Time        | 5-6 hours             |
| Illumination Time  | 8-10 hours            |
| Product Dimension  | 14x5x53.2 cm          |



### DC-0804C

|                    |                       |
|--------------------|-----------------------|
| Solar Panel        | Mono Crystal 5V 2W    |
| Light Source       | 40x0.2W LED           |
| Battery            | 3.7V 2200mAh          |
| Colour Temperature | 3000± 200K/6250± 250K |
| Charge Time        | 5-6 hours             |
| Illumination Time  | 8-10 hours            |
| Product Dimensione | 10.5x2.5x65 cm        |

### DC-0801 / 0802

|                    |                       |
|--------------------|-----------------------|
| Solar Panel        | Mono Crystal 5V 2W    |
| Light Source       | 30x0.2W LED           |
| Battery            | 3.7V 2200mAh          |
| Colour Temperature | 3000± 200K/6250± 250K |
| Charge Time        | 5-6 hours             |
| Illumination Time  | 8-10 hours            |
| Product Dimensione | 16.2x9x57.3 cm        |



Solar Lawn Light

# Long Round Solar Light



Monocrystalline silicon solar panel



LED patch light source



Lithium iron phosphate battery



- 1

Drag 2 (internally glowing)

Solar panels 5.5V/2W Battery 3.7V/1800mAh
- 3

Drag 2 (external illumination)

Solar panels 5.5V/2W Battery 3.7V/1800mAh

- 2

Drag 4 (internally glowing)

Solar panels 5.5V/3W Battery 3.7V/2200mAh
- 4

Drag 4 (external illumination)

Solar panels 5.5V/3W Battery 3.7V/2200mAh

|               |                                 |
|---------------|---------------------------------|
| Product name  | Long Round Solar Light          |
| Product lumen | 40LM*4                          |
| Charging time | Standard sunshine for 6-8 hours |

|                  |                               |
|------------------|-------------------------------|
| Product material | Aluminum+Silicone+ABS         |
| Waterproof grade | Ip54                          |
| Usage scenario   | Courtyard/community/park/lawn |



monocrystalline silicon solar panel



Anti-UV ABS lampshade



Aluminum ground plug

# Circle Solar Spike Light



Monocrystalline silicon solar panel



LED patch light source



Lithium iron phosphate battery



1

DC-0587N-2



2

DC-0587N-4



3

DC-0587W-2



4

DC-0587W-4

Line 3 meters \* 4

## 1 Drag 2 (internally glowing)

Solar panels 5.5V/2W Battery 3.7V/1800mAh

## 2 Drag 4 (internally glowing)

Solar panels 5.5V/3W Battery 3.7V/2200mAh

## 3 Drag 2 (external illumination)

Solar panels 5.5V/2W Battery 3.7V/1800mAh

## 4 Drag 4 (external illumination)

Solar panels 5.5V/3W Battery 3.7V/2200mAh

|               |                                 |
|---------------|---------------------------------|
| Product name  | Circle Solar Light              |
| Product lumen | 40LM*4                          |
| Charging time | Standard sunshine for 6-8 hours |

|                  |                               |
|------------------|-------------------------------|
| Product material | Aluminum+Silicone+ABS         |
| Waterproof grade | Ip54                          |
| Usage scenario   | Courtyard/community/park/lawn |



monocrystalline silicon solar panel



Anti-UV ABS lampshade



Aluminum ground plug

# Rhombus Solar Light



Monocrystalline silicon solar panel



LED patch light source



Lithium iron phosphate battery

1

DC-0585N-2

2

DC-0585N-4

3

DC-0585W-2

4

DC-0585W-4

Line 3 meters \* 4

## 1 Drag 2 (internally glowing)

Solar panels 5.5V/2W Battery 3.7V/1800mAh

## 2 Drag 4 (internally glowing)

Solar panels 5.5V/3W Battery 3.7V/2200mAh

## 3 Drag 2 (external illumination)

Solar panels 5.5V/2W Battery 3.7V/1800mAh

## 4 Drag 4 (external illumination)

Solar panels 5.5V/3W Battery 3.7V/2200mAh

|               |                                 |                  |                               |
|---------------|---------------------------------|------------------|-------------------------------|
| Product name  | Rhombus Solar Light             | Product material | Aluminum+Silicone+ABS         |
| Product lumen | 40LM*4                          | Waterproof grade | Ip54                          |
| Charging time | Standard sunshine for 6-8 hours | Usage scenario   | Courtyard/community/park/lawn |



monocrystalline silicon solar panel



Anti-UV ABS lampshade



Aluminum ground plug

# Moon Dish Solar Post Top Lights




360 double human body induction



Optical condenser lens



Light Pole Splicing



1  
TY-571-A

1 Solar Garden Light

2 Solar Wall Light

3 Solar Pillar Light



2  
TY-571-B



3  
TY-571-C

|                 |                                 |
|-----------------|---------------------------------|
| Product name    | Moon Dish Series                |
| Solar panel     | 5V/6.5W                         |
| Product battery | 3.7V/8000mAh                    |
| Charging time   | Standard sunshine for 6-8 hours |

|                  |                                |
|------------------|--------------------------------|
| Product material | Aluminum material+anti-UV PC   |
| Product lumen    | 2000LM                         |
| Waterproof grade | Ip65                           |
| Usage scenario   | Courtyard/community/villa/park |



360 double inductor



LED patch light source



Light pole splicing design

# Rubik's Cube Solar Post Top Lights



Monocrystalline silicon solar panel



Anti-UV PC lampshade



Endurance for 3 rainy days



|                 |                                 |                  |                                |
|-----------------|---------------------------------|------------------|--------------------------------|
| Product name    | Rubik's Cube Series             | Product material | Aluminum material+anti-UV PC   |
| Solar panel     | 5V / 20W                        | Product lumen    | 50-80                          |
| Product battery | 3.7V/20000mAh                   | Waterproof grade | Ip65                           |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Courtyard/community/villa/park |



Monocrystalline silicon solar panel



High brightness LED



Die casting aluminum

# Mushroom Solar Post Top Lights



Optical condenser lens



Lithium iron phosphate battery



Waterproof Grade

1  
TY-566-S

2  
TY-566-E

3  
ZT-566-S

4  
ZT-566-E

1 Solar Garden Light

2 AC Input Garden Light


3 Solar Pillar Light

4 AC Input Pillar Light

Commercial power complementation

|                 |                                 |
|-----------------|---------------------------------|
| Product name    | Mushroom Series                 |
| Solar panel     | 5V /20W                         |
| Product battery | 3.2V/20000mAh                   |
| Charging time   | Standard sunshine for 6-8 hours |

|                  |                                |
|------------------|--------------------------------|
| Product material | Aluminum material+anti-UV PC   |
| Product lumen    | 1800LM                         |
| Waterproof grade | Ip65                           |
| Usage scenario   | Courtyard/community/villa/park |



Monocrystalline silicon solar panel



Anti-UV PC lampshade



Led patch light source



# Striped Pyramid Solar Post Top Lights



Monocrystalline silicon solar panel



Anti-UV PC lampshade



Endurance for 3 rainy days

1  
TY-559-S

2  
TY-559-E

38.5cm

1 Solar Garden Light

2 AC Input Garden Light

3 Solar Pillar Light

4 AC Input Pillar Light

Commercial power complementation




3  
ZT-559-S



4  
ZT-559-E

|                 |                                 |
|-----------------|---------------------------------|
| Product name    | Striped Pyramid Series          |
| Solar panel     | 5V / 20W                        |
| Product battery | 3.7V/20000mAh                   |
| Charging time   | Standard sunshine for 6-8 hours |

|                  |                                |
|------------------|--------------------------------|
| Product material | Aluminum material+anti-UV PC   |
| Product lumen    | 1500LM                         |
| Waterproof grade | Ip65                           |
| Usage scenario   | Courtyard/community/villa/park |



Monocrystalline silicon solar panel



Anti-UV PC lampshade



Led patch light source



# Large Lotus Solar Post Top Lights




Anti-UV PC lampshade



Lithium iron phosphate battery



LED patch light source



1 Solar Garden Light

2 AC Input Garden Light

3 Solar Pillar Light


4 AC Input Pillar Light

Commercial power complementation



|                 |                                 |
|-----------------|---------------------------------|
| Product name    | Large Lotus Series              |
| Solar panel     | 5V / 20W                        |
| Product battery | 3.2V/20000mAh                   |
| Charging time   | Standard sunshine for 6-8 hours |

|                  |                                |
|------------------|--------------------------------|
| Product material | Aluminum material+anti-UV PC   |
| Product lumen    | 1500LM                         |
| Waterproof grade | Ip65                           |
| Usage scenario   | Courtyard/community/villa/park |



Monocrystalline silicon solar panel



Anti-UV PC lampshade



Aluminum lamp body

# Large Lotus Solar Post Top Lights



Anti-UV PC lampshade



Lithium iron phosphate battery



LED patch light source

1

TY-535-S

2

TY-535-E

42.5cm

36cm

1

Solar Garden Light

2

AC Input Garden Light

3

Solar Pillar Light

4

AC Input Pillar Light

Commercial power complementation


3

ZT-535-S

4

ZT-535-E

|                 |                                 |                  |                                |
|-----------------|---------------------------------|------------------|--------------------------------|
| Product name    | Trumpet Series                  | Product material | Aluminum material+anti-UV PC   |
| Solar panel     | 5V / 20W                        | Product lumen    | 1500LM                         |
| Product battery | 3.2V/20000mAh                   | Waterproof grade | Ip65                           |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Courtyard/community/villa/park |



Monocrystalline silicon solar panel



Anti-UV PC lampshade



Galvanized iron lamp pole

# HALO Solar Post Top Lights





Monocrystalline silicon solar panel



Anti-UV PC lampshade



Endurance for 3 rainy days




|                 |                                 |                  |                                |
|-----------------|---------------------------------|------------------|--------------------------------|
| Product name    | HALO Solar Post Top Lights      | Product material | Aluminum material+anti-UV PC   |
| Solar panel     | 5V / 20W                        | Product lumen    | 50-80                          |
| Product battery | 3.7V/20000mAh                   | Waterproof grade | Ip65                           |
| Charging time   | Standard sunshine for 6-8 hours | Usage scenario   | Courtyard/community/villa/park |



Monocrystalline silicon solar panel



Anti-UV PC lampshade



Brand new battery



# Solar Pool Light

## TD-1901 / TD-1902

|                    |                      |
|--------------------|----------------------|
| Solar Panel        | Mono Crystal 5V 0.6W |
| Light Source       | 20x0.2W LED          |
| Battery            | 3.7V 2200mAh         |
| Colour Temperature | 4000-4500K           |
| Charge Time        | 3H by Type C         |
| Illumination Time  | 4-17 hours           |



## TD-1903-B

|                    |                       |
|--------------------|-----------------------|
| Solar Panel        | Mono Crystal 5V 0.45W |
| Light Source       | 28X0.2W LED           |
| Battery            | 3.7V 2200mAh          |
| Colour Temperature | 4000-4500K            |
| Charge Time        | 2H by Type C          |
| Illumination Time  | 4-17 hours            |
| Product Dimension  | φ9.5x13.1 cm          |



## YC-1401

|                    |                       |
|--------------------|-----------------------|
| Solar Panel        | Mono Crystal 5V 0.85W |
| Light Source       | 1x0.5W LED            |
| Battery            | 3.7V 500mAh           |
| Colour Temperature | RGB                   |
| Charge Time        | 5-6 hours             |
| Illumination Time  | 6-8 hours             |
| Product Dimensione | light: φ 11x5.3 cm    |



# Solar Table Light